



Courtage
Analyses
Services

PRICE LIST

CHNOS

Thermo™



SÄNTIS
analytical

			Validité : 12/2023	
Thermo Part. No.	Säntis Part. No.	Description	pcs / kg	Tarif € HT
Pressed capsules for solids, Tin				
240 05300 / 1144320	SA76980501	Tin capsules for solids, 3.3 x 5 mm	100	29,43
240 05300 / 1144320	SA76980502	Tin capsules for solids, 3.3 x 5 mm	250	58,85
240 06400	SA76980901	Tin capsules for solids, 5 x 8 mm	100	32,10
240 06400	SA76981101	Tin capsules for solids , 5 x 9 mm	100	32,10
240 06400	SA76981102	Tin capsules for solids, 5 x 9 mm	250	64,20
240 06400	SA76981103	Tin capsules for solids, 5 x 9 mm	400	90,95
240 06400 / 240 16425	SA76980902	Tin capsules for solids, 5 x 8 mm	250	64,20
240 06410	SA76981110	Tin capsules for solids, 5 x 9 mm	1000	248,78
252 08000	SA76162401	Tin capsules for solids, 10 x 10 mm	100	37,45
	SA76980002	Tin capsules for solids, 3.2 x 4 mm	250	58,85
	SA76980202	Tin capsules for solids, 3.2 x 6 mm	250	58,85
	SA76981107	Tin capsules for solids, 5 x 9 mm, precleaned	96	72,23
Pressed capsules for solids, Silver				
1117391	SA76980006	Silver capsules for solids, 3.2 x 4 mm	250	131,08
1117391	SA76980206	Silver capsules for solids, 3.2 x 6 mm	250	147,13
240 05400	SA76980705	Silver capsules for solids, 4 x 6 mm	100	69,55
240 05400	SA76980706	Silver capsules for solids, 4 x 6 mm	250	149,80
240 05405	SA76980906	Silver capsules for solids, 5 x 8 mm	250	192,60
240 05405	SA76981105	Silver capsules for solids, 5 x 9 mm	100	82,93
240 05405	SA76981106	Silver capsules for solids, 5 x 9 mm	250	192,60
252 08020	SA76162406	Silver capsules for solids, 10 x 10 mm	100	112,35
Pressed capsules for solids "light", Tin				
240 05300 / 1144320	SA76980502L	Tin capsules for solids, light, 3.3 x 5 mm	250	58,85
240 06400	SA76981101L	Tin capsules for solids, light, 5 x 9 mm	100	32,10
240 06400	SA76981102L	Tin capsules for solids, light, 5 x 9 mm	250	64,20
	SA76980002L	Tin capsules for solids, light, 3.2 x 4 mm	250	58,85
Discs / Squares, Tin				
252 08015	SA999918	Tin disc 30 mm, thickness 0.010 mm	100	29,43
252 08015	SA999918L	Tin disc 30 mm, light, thickness 0.008 mm	100	37,45
252 08018	SA999902	Tin disc 35 mm, thickness 0.010 mm	100	29,43
252 08019	SA999976	Tin disc 62 mm, thickness 0.010 mm	100	50,83
252 08019	SA999976L	Tin disc 62mm, light, thickness 0.008 mm	100	50,83
252 08021	SA990803	Tin disc 86mm, thickness 0.010 mm	100	58,85
	SA999901	Tin disc 28 mm, thickness 0.010 mm	100	29,43
	SA999972	Tin disc 53 mm, thickness 0.010 mm	100	42,80
Smooth capsules for liquids, Tin				
240 07000	SA84990000	Tin capsules for liquids, 1.06 x 5.50 mm	50	40,13
240 07000	SA84990002	Tin capsules for liquids, 1.06 x 5.50 mm	250	136,43
240 07200	SA84992101	Tin capsules for liquids, 3.5 x 9 mm	100	45,48
240 07200	SA84992102	Tin capsules for liquids, 3.5 x 9 mm	250	101,65
240 08810	SA84990601	Tin capsules for liquids, 2.9 x 6 mm	100	42,80
240 08810	SA84990602	Tin capsules for liquids, 2.9 x 6 mm	250	90,95
240 08820	SA84990301	Tin capsules for liquids, 2 x 5 mm	100	53,50
240 08820	SA84990302	Tin capsules for liquids, 2 x 5 mm	250	96,30
Smooth capsules for liquids, Silver				
240 05100	SA84990305	Silver capsules for liquids, 2 x 5 mm	50	98,98
240 05100	SA84990306	Silver capsules for liquids, 2 x 5 mm	250	428,00
Other Capsules				
	SA990781	Absorbitz N pads, 4 mm, suitable for CHN analysis	100	59,65
	SA990836	Absorbitz N pads, 3.2 & 3.5 mm, suitable for CHN analysis	100	S.D
	SA990837	Absorbitz N pads, 5 mm, suitable for CHN analysis	100	S.D
	SA990838	Absorbitz N pads, 6 mm, suitable for CHN analysis	100	S.D
	SA990839	Absorbitz N pads, 10 mm, suitable for CHN analysis	100	S.D
	SA990840	Absorbitz O pads, 3.2 & 3.5 mm, suitable for OS analysis	100	S.D
	SA990841	Absorbitz O pads, 4 mm, suitable for OS analysis	100	S.D
	SA990842	Absorbitz O pads, 5 mm, suitable for OS analysis	100	S.D
	SA990843	Absorbitz O pads, 6 mm, suitable for OS analysis	100	S.D
	SA990844	Absorbitz O pads, 10 mm, suitable for OS analysis	100	S.D
	SA990767	Liquid Glass ampoule, L=12mm, 2.5 x 2.5 mm	25	232,73
	SA990767B	Liquid Glass ampoule, "Testsample"	5	48,15
Copper oxide				
	SA99060100	Copper (II)-oxide, wire, diam. 0,7 mm	1,00	291,90
338 21710	SA99060101B	Copper (II)-oxide, wire, diam. 0,7 mm	0,05	21,19
338 21720	SA99060101	Copper (II)-oxide, wire, diam. 0,7 mm	0,10	37,66
338 21730	SA99060101C	Copper (II)-oxide, wire, diam. 0,7 mm	0,03	16,48
	SA99060301D	Copper (II)-oxide, wire, diam. 0,5 mm, Isotope grade	0,05	28,25
Copper reduced				
338 35300	SA99060102	Reduced copper, wire, diam. 0,7mm, ampoule, packed in argon	0,10	42,37
338 35300	SA99060103	Reduced copper, wire, diam. 0,7mm, vial, packed in argon	0,25	98,87
338 35300	SA99060104	Reduced copper, wire, diam. 0,7mm, vial, packed in argon	0,20	89,45
338 35305	SA33835305	High quality copper, vial, packed in argon	0,22	197,74
338 35310	SA99060204	Reduced copper, wire, diam. 0,7mm (for sulfur analysis), ampoule, packed in argon	0,04	40,02
338 35311	SA33835311	Electrolytic copper, wire, 140 mm	0,09	68,27
338 35312	SA99060102B	Reduced copper, wire, diam. 0,7mm, ampoule, packed in argon	0,05	S.D
338 35312	SA33835312	High quality copper, ampoule, packed in argon	0,05	56,50
338 35312	SA33835312B	High quality copper, ampoule, packed in argon	0,15	188,32
338 35312	SA33835335	High quality copper, vial, packed in argon	0,25	225,98
338 35313	SA33835311B	Electrolytic copper, wire, 140 mm	0,07	56,50
338 35313	SA33835311F	Electrolytic copper, wire, 110 mm	0,07	56,50
338 35314	SA33835311C	Electrolytic copper, wire, 140 mm	0,08	61,20
	SA33835311D	Electrolytic copper, wire, 130 mm	0,09	68,27
	SA33835311E	Electrolytic copper, wire, 130 mm	0,08	63,56
	SA99060204B	Reduced copper, wire, diam. 0,35mm (for sulfur analysis), ampoule, packed in argon	0,04	40,02
	SA99060304B	Reduced copper, granulate, 18-30 mesh, ampoule, packed in argon	0,10	56,50
Catalysts and Additive				
	SA999930	Copper wool	0,01	28,89
1117430	SA990786	Silver Wool	0,01	77,04
1117430	SA990786B	Silver Wool	0,00	19,26
1117430	SA990786C	Silver Wool	0,05	150,23

Thermo Part. No.	Sántis Part. No.	Description	Validité : 12/2023	
			pcs / kg	Tarif € HT
272 04505	SA27204505	Ceramic Disk	20	36,21
334 06200 / 252 05110	SA999931	Nickel Sheet Liner , 130 x 130 mm	1	36,21
338 00115	SA33800115	Glucose (see certificate for actual values), (approx. C 39.99%, H 6.72%, O 53.28%)	0,10	68,95
338 01292	SA990776	Niobium Pentoxide , 0.85 – 1.7mm	0,03	92,45
338 01801	SA990713	Molecular Sieve, 3 Å, 1/16"	0,10	40,45
338 21900	SA990712B	Magnesium Perchlorate, Self Indicating	0,10	75,11
338 21900	SA990712	Magnesium Perchlorate, Flakes: 2 - 5 mm	0,10	75,11
338 22000 / 338 35236	SA990710	Carbosorb, Granulate, 14-20 mesh	0,10	119,41
338 22000 / 338 35286	SA990710C	Carbosorb, Granulate, 8-20 mesh	0,03	22,15
338 22005	SA990716A	Quartz wool, 4 um	0,02	54,31
338 22200	SA990716B	Quartz wool, 4 um	0,05	135,78
338 22200	SA990716	Quartz wool, 4 um	0,01	20,03
338 22300	SA990715	Quartz chips, 1 - 4 mm	0,10	36,21
338 22300	SA990715B	Quartz chips, 1 - 4 mm	0,05	20,03
338 22300	SA990715C	Quartz chips, 1 - 2 mm	0,10	36,21
338 22300	SA990715D	Quartz chips, 1 - 2 mm	0,05	20,03
338 22800	SA990700	Cobalt (II,III)-oxide, Granulate	0,03	76,08
338 22900	SA990610	Chromium (III)-oxide, Granulate 8-30 mesh	0,03	71,26
338 22900	SA990610B	Chromium (III)-oxide, Granulate 8-30 mesh	0,05	155,43
338 22900	SA990610E	Chromium (III)-oxide, Granulate 8-30 mesh	0,10	S.D
338 23800	SA990701	Nickel Plated Carbon, Granulate, 28-32% Nickel	0,01	132,70
338 24500	SA990630	Silvered cobaltous oxide, Granulate 8-30 mesh	0,03	140,79
338 24600	SA990702	Tungsten (VI)-oxide, Granulate 12 - 35 mesh	0,03	94,37
338 25000	SA990714	Nickel wool	0,00	32,74
338 35230	SA990717B	Soda Lime, granulate 1.7 - 5.0 mm	0,20	79,35
338 35230	SA990717E	Soda Lime, granulate 1.7 - 5.0 mm, self indicating	0,20	94,37
338 35235	SA990717C	Soda Lime, granulate 1.7 - 5.0 mm, self indicating	0,10	45,26
338 35235	SA990717D	Soda Lime, granulate 1.0 – 2.5 mm, self indicating	0,10	45,26
338 35235	SA990717	Soda Lime, granulate 1.7 - 5.0 mm	0,10	40,45
338 35400	SA33835400	Koerbl Catalyst absorbent	0,01	81,47
338 35420	SA990620	Tungsten oxide / alumina granular	0,03	80,89
338 37510	SA990709	Vanadium Pentoxide	0,00	14,64
338 37510	SA990709C	Vanadium Pentoxide	0,01	142,52
338 37530	SA33837530	Chromosorb w/aw	0,03	244,41
338 37540	SA990711	Lead (IV)-oxide, 97%	0,00	16,37
338 39055	SA33839055	Platinum on Alumina, 0.5 - 1% Platinum	0,10	325,88
338 40000	SA990708	Oxidation catalyst, for protein analysis	0,04	72,23
338 40000	SA990708C	Oxidation catalyst , for protein analysis	0,06	102,27
338 40000	SA990708D	Oxidation catalyst , for protein analysis	0,08	132,89
338 40030	SA33840030	Fluorine Adsorber	0,02	125,19
338 40035	SA33840035	Silica Gel, with indicator	0,10	36,21
	SA99060402	Silvered reduced copper granules, 0.1 - 0.5mm	0,10	117,49
	SA990712C	Magnesium Perchlorate, Flakes: 2 - 5 mm	0,03	19,26
	SA990712D	Magnesium Perchlorate with Indicator, Flakes: 2 - 5 mm	0,03	29,85
	SA990800	Quartz wool Disc 16 mm	25	34,67
	SA990787	Quartz wool Disc 15 mm	25	28,89
	SA990801	Quartz wool Disc 22 mm	25	48,15
	SA990804	Quartz wool Disc 24 mm	25	55,85
Quartz Tubes				
468 00900	SA990725	Transparent quartz tube, 450/10.5 mm	5	253,46
468 01000	SA990726	Transparent reduction quartz tube	2	162,94
468 01600	SA990735	Transparent quartz tube, 460/20/6 mm	2	153,89
468 20000	SA990731	Opaque quartz tube, 450/18 mm	2	92,45
468 20060 / 468 20001	SA990729	Transparent quartz tube, 450/18 mm, wall 2 mm	2	94,37
468 20070	SA46820070	Transparent quartz tube, 450/18 mm, with chamfer	2	94,37
	SA990768	Transparent quartz tube, 450/25/18 mm, wall 2 mm	1	104,00
	SA990768B	Transparent quartz tube, 450/25/18 mm, wall 1.5 mm	1	104,00
	SA999981	Quartz tube for pyrolysis, 610/OD 6.0/ID 0.5 mm	1	211,86
	SA990865	Transparent Quartz Reaction Tube, modified	1	36,59
	SA999981B	Quartz tube for IsoPrime, 600/OD 6.4/ID 0.8 mm (+/- 0.2 mm)	1	S.D
Quartz Insert				
	SA999980	Transparent quartz insert, 235/13 mm	1	57,78
	SA999996	Transparent quartz insert, 220/13 mm, with slots	1	57,78
252 04500	SA25204500	Transparent quartz crucible	5	S.D
252 04510	SA25204510	Transparent quartz insert, 210/13 mm, wall 2 mm	1	92,45
252 04510	SA4681210MO	Transparent quartz insert, 230/13 mm, wall 2 mm	1	90,52
	SA999938	Transparent quartz insert, 210/12 mm, without slots	5	96,30
Quartz others				
543380	SA0543380	Fused silica capillary, ID 0,05mm, 1m	1	S.D
1004640	SA1004640	Fused silica capillary, ID 0,32mm, 1 m	1	S.D
1004891	SA1004891	FS capilary, 0,1 x 0,3mm, 1m	1	S.D
1045480	SA1045480	Fused silica capillary, 0,075mm, 2m	1	S.D
1068230	SA1068230	Ascarite reagent trap for Precon	1	S.D
Metall Tubes / Inserts / Crucibles				
252 05000	SA25205002	crucible with slots, not cut back, 250/18 mm	1	S.D
252 05000	SA25205002B	crucible with slots, not cut back, 220/18 mm	1	S.D
252 05010	SA25205001B	crucible with slots, 235/13 mm, modified	1	250,38
252 05010 / 252 05000	SA25205001	Crucible with slots, 250/13 mm	1	150,23
252 05011	SA25205011B	Inconel HPAR 2000 crucible "less slits", 250/18 mm	1	277,34
252 05011	SA25205011	Inconel HPAR 2000 crucible, 250/18 mm	1	277,34
252 05011	SA25205011C	HPAR 2000 crucible, 230/18 mm	1	277,34
252 05015	SA25205015	HPAR 4000 crucible	1	2118,60
468 02020	SA46802020	HPAR tube, 450/40 mm	1	2234,16
468 20050	SA46820010	Tube, 450/18 mm	1	248,45
468 20075	SA46820075	HPAR tube , 450/25 mm, 2 mm wall	1	543,13
Ceramic Tubes / Inserts / Crucibles				
1041480	SA1041480	Ceramic tube, 320/OD 1.5/ID 0.5 mm	1	78,77
1121320	SA1121320MOD	Ceramic Tube for TC/EA, 470/OD 18/ID 14 mm	1	116,52
1121320	SA1121320	Ceramic tube for TC/EA, 470/OD 17/ID 13 mm	1	125,19
1156890	SA1156890	Ceramic tube for Flash HT/EA-IRMS, 450/OD 17/ID 13 mm	1	105,93
1156890 / 468 02010	SA1156890MOD	Ceramic tube for Flash HT/EA-IRMS, 450/OD 18/ID 14 mm	1	92,45
	SA999979	Ceramic tube for pyrolysis furnaces, 610/OD 3.0/ID 0.5 mm	1	188,75
	SA999979B	Ceramic tube for pyrolysis furnaces, 450/OD 3.0/ID 0.5 mm	1	188,75
	SA990851	Ceramic Tube, 416/OD 17/ID 13 mm	1	92,45

Thermo Part. No.	Sântis Part. No.	Description	pcs / kg	Validité : 12/2023 Tarif € HT
Glassy Carbon, Graphite, Tubes / Inserts / Crucibles				
1117332	SA1117332	Graphite crucible for TC/EA	1	49,11
1117400	SA1117400C	Glassy carbon granulate, 3150-4000 µm	0,03	53,93
1117401	SA1117400	Glassy carbon granulate, 3150-4000 µm	0,05	88,60
1121310	SA1121310	Glassy carbon tube for TC/EA, 356/OD 12/ID 7 mm	1	2388,24
1121310	SA1121310C	Glassy carbon tube for TC/EA, suitable for BFC, 356/OD 12/ID 7 mm +/- 0.05 mm	1	2889,00
1121310	SA1121310A	Glassy carbon tube for TC/EA, 450/OD 12/ID 7 mm	1	2744,55
1121310 / 1286356	SA1121310B	Glassy carbon tube for TC/EA, both sides open, 356/OD 12/ID 8.6 mm	1	2311,20
1121351	SA1121351	Graphite tube for solids, TC/EA , 250/OD 12.2/ID 6,5 mm	1	365,94
1132080	SA1132080	Graphite tube for liquids, for TC/EA	1	558,54
1255330	SA1255330	HTC reactor	1	1120,93
127 86398	SA12786398	Glassy carbon tube for TC/EA, 398/OD 8.6/ID 7.0 mm	1	1926,00
1286453	SA1286453	Glassy carbon tube for TC/EA, 453/OD 12 /ID 8.6	1	2118,60
	SA127453	Glassy carbon tube for TC/EA, 453/OD 8.6/ID 7.0 mm	1	2022,30
Prepacked Tubes				
	SA1000003	Prepacked Reduction Tube, EA1108/NA1500/EA1110/NA2500/NA2100	1	202,23
1040920	SA1040920	Prepacked GC oxidation reactortube 320x1.5x0.5mm , Ceramic Copper/Platinum/Nickel Wire	1	190,67
468 02005	SA990733A	Prepacked reactor for Thermo, Opaque quartz tube 450/18 mm	1	211,86
468 02005 / 468 02021	SA990733	Prepacked reactor for Thermo, Transparent quartz tube 450/18 mm	1	211,86
468 02005 / 468 02021	SA990733B	Prepacked reactor for Thermo, Transparent quartz tube 450/18 mm	1	211,86
468 02005 / 468 02021	SA990733C	Prepacked reactor for Thermo, Transparent quartz tube 450/18 mm	1	211,86
468 02007 / 468 02015	SA46802007D	Prepacked reactor for Thermo, CHNS/NCS/S, Transparent quartz tube 450/18 mm w/o quartz crucible	1	231,12
468 02007 / 468 02015	SA46802007CMOD	Prepacked reactor for Thermo, CHNS/NCS/S, Transparent quartz tube 450/18 mm w/o quartz crucible	1	221,49
468 02007 / 468 02015	SA46802007	Prepacked reactor for Thermo, CHNS/NCS/S, Transparent Quartz Tube 450/18 mm, w/o quartz crucible	1	221,49
468 02007 / 468 02015	SA46802007B	Prepacked reactor for Thermo, CHNS/NCS/S, Transparent Quartz Tube 450/18 mm, w/o quartz crucible	1	221,49
468 02008	SA46802008	Prepacked HPAR reactor for Thermo, N/NC, Inconel HPAR tube 450/25mm	1	762,70
468 02009	SA999977	Prepacked reactor for Thermo Flash, CHN/NC, Transparent quartz tube 450/18 mm	1	269,64
468 02009	SA999977D	Prepacked reactor for Thermo Flash, CHN, for Fluorine-Containing Compounds	1	269,64
468 02009	SA999977B	Prepacked reactor for Thermo Flash HT, CHN/NC, Transparent quartz tube 450/18 mm	1	269,64
468 02009	SA999977E	Prepacked reactor for Thermo Flash, CHN/NC, with quartz crucible (SA25204510)	1	346,68
468 02009	SA999977C	Prepacked reactor for Thermo Flash HT, CHN/NC (single reactor), Transparent quartz tube 450/18 mm	1	269,64
468 02015	SA46802015	Prepacked reactor for Thermo, CHNS/NCS/S, with quartz crucible	1	288,90
468 02099	SA990777	Prepacked reactor for Thermo, O Determination, Transparent quartz tube 450/18 mm	1	269,64
468 02099	SA999900	Prepacked reactor for Thermo, O Determination, Transparent quartz tube 450/18 mm	1	288,90
468 20051	SA46820051	Prepacked reactor for Thermo, Refractory metallic tube 450/18 mm, for Sulfur analysis	1	433,35
468 20051	SA46820051B	Prepacked reactor for Thermo, Refractory metallic tube 450/18 mm, for CNS	1	433,35
468 20076	SA999967	Prepacked reactor for Thermo, NC (IRMS), Transparent quartz tube 450/18 mm	1	250,38
468 20076	SA999967M	Prepacked reactor for Thermo, Flash CHN, Transparent quartz tube 450/18 mm	1	250,38
468 20076	SA999927	Prepacked reactor for Thermo, Opaque quartz tube 450/18 mm	1	250,38
468 20076	SA999967B	Prepacked reactor for Thermo, NC, Opaque quartz tube 450/18 mm	1	250,38
468 20077	SA46820077	Prepacked reduction reactor , NC determination (FLASH IRMS)	1	190,67
468 20080	SA46820080	Prepacked reduction reactor for Thermo, NC, Transparent quartz tube 450/18 mm	1	231,12
BRE0008929	SA0008929	Prepacked Macro Reactor for CN	1	236,90
BRE0008930	SA0008930	Prepacked Macro Reactor for CNS	1	208,01
	SA990857	Prepacked reactor for Thermo, CHN, with flourine adsorber	1	240,75
	SA999939C	Prepacked reactor for Thermo, NC, Transparent quartz tube 450/18 mm	1	279,27
Separation (GC) Columns				
	SA990854	Separation Column for Flash Smart IRMS, 1m, 1/8", SS, Carboxen, without connectors	1	895,59
1121030	SA1121030MOD	GC separation column for TC/EA, 1 m, 1/4", SS, molecular sieve, without connectors	1	866,70
1121030	SA1121030	GC separation column for TC/EA, 0.6 m, 1/4", SS, molecular sieve, with connectors	1	866,70
1121030-100 / 26008240	SA990831A	O/H Separation column, Ø 16 cm, 1.0 m, 1/8", SS, molecular sieve 80-100 mesh, with connections	1	442,98
260 07800	SA990723	Sulphur separation column, 0.8 m, 6x4 mm, PTFE, HSPQ, 2 mm unions	1	229,19
260 07801	SA26007801	Sulphur separation column, 0.15 m, 6x4 mm, PTFE, HSPQ, 2 mm unions	1	209,93
260 07820	SA26007820	Nitrogen separation column, 0.5 m, 8x6 mm, PTFE, carboxen, 2 mm unions	1	240,75
260 079 50	SA26007950	CHN separation column, 5 m, 6x5 mm, SS, HSPQ, 2mm unions	1	1386,72
260 07900	SA990724	Oxygen separation column, 1 m, 6x5 mm, SS, molecular sieve, 2 mm unions	1	257,31
260 08200	SA990721	CHN separation column, 2 m, 6x5 mm, SS, HSPQ, 2 mm unions	1	423,72
260 08201	SA26008201	CHNS separation column, 1 m, 8x6 mm, PTFE, HSPQ, 2 mm unions	1	481,50
260 08205 / 260 07931	SA990722	CN separation column, 3 m, 6x5 mm, SS, HSPQ, 2 mm unions	1	481,50
260 08206 / 260 07920	SA990720	CHNS separation column, 2 m, 6x5 mm, SS, HSPQ, 2 mm unions	1	481,50
260 08207	SA26008207	CHN separation column, 2 m, 6x4 mm, PTFE, HSPQ, 2 mm unions	1	481,50
260 08208	SA26008208	CHNS multiseperation column, 2 m, 6x4 mm, PTFE, HSPQ, 2 mm unions	1	442,98
260 08215	SA26008215	CHNS multiseperation column, 2 m, 6x4 mm, PTFE, HSPQ, 2 mm unions	1	481,50
260 08220	SA26008220	CHNS multiseperation column, 2 m, 6x5 mm, PTFE, HSPQ, 2 mm unions	1	731,88
260 08242 / BRE0005390	SA999986B	CN separation column for EA-IRMS, 0.6 m, 1/8", SS, carboxen, without unions	1	741,51
260 08245	SA26008245	CHN separation column, 4 m, 6x5 mm, SS, HSPQ, 2mm unions	1	751,14
260 08290	SA26008290	Separation column, 2 m, 1/4", sulfinert, HSPQ, without connectors	1	789,66
260 185 00	SA26018500	Sulphur separation column, 0.5 m, 6x4 mm, PTFE, HSPQ, 2 mm unions	1	337,05
260 70004	SA26070004	Nitrogen separation column (N-Brew), 1 m, 8x6 mm, PTFE, carbon, 2 mm unions	1	288,90
260 70006	SA26070006	Nitrogen separation column (N-Brew), 2 m, 8x6 mm, PTFE, carbon, 2 mm unions	1	481,50
26008240	SA990831D	O/H Separation column, Ø 16 cm, 1.5 m, 1/8", SS, molecular sieve 80-100 mesh, with connections	1	500,76
BRE0024173	SA990869	Separation Column for Flash Smart IRMS, 0.9 m, 1/8", SS, NCS, Carboxen, without connectors	1	S.D
	SA999975	Oxygen separation column, 2 m, 6x5 mm, SS, molecular sieve, 2 mm unions	1	647,14
	SA990885	CN separation column , 0.9 m, 1/8", SS, carboxen, 2 mm unions	1	999,59
	SA990885B	CN separation column, 0.9 m, 1/8", SS, carboxen, without unions	1	806,99
	SA990856	Separation Column for Flash Smart IRMS, 1m, 1/8", SS, HSPQ, without connectors	1	327,42
	SA999986C	CN separation column, 0.6 m, 1/4", SS, carboxen, without unions	1	1290,42
	SA999986	CN separation column, 0.6 m, 1/8", SS, carboxen, 2 mm unions, 1/4"	1	1020,78
Organic Analytical Standards				
338 00110	SA33800110	EDTA standard (see certificate for actual values),	0,10	112,29
338 02015	SA33802015	p-Nitroaniline, (approx. 52.17% C, 4.38% H, 20.28% N, 23.17 O)	0,00	34,48
338 02157	SA33802157	Wheat Flour IRMS Standard OAS/Isotope, see certificate for actual values	0,01	209,93
338 20140	SA990758	Naphthalen (see certificate for actual values), (approx. 93.71% C, 6.29% H)	0,00	44,30
338 21950	SA990849	Fluorene standard (see certificate for actual values), (approx. 93.94% C, 6.06% H)	0,00	40,45
338 22400	SA990748	Cyclohexanone 2,4 DNPH (see certificate for actual values)	0,00	121,34
338 22500	SA990747	Benzoic acid (see certificate for actual values), (approx. 68.85% C, 4.95% H, 26.20% O)	0,00	54,31
338 22500	SA990747B	Benzoic acid (see certificate for actual values), (approx. 68.85% C, 4.95% H, 26.20% O)	0,00	106,89
338 23400	SA990772	Diphenyl OAS standard (see certificate for actual values), (approx. 93.41% C, 6.57% H)	0,00	34,48
338 24400	SA990746	Atropine standard (see certificate for actual values)	0,00	85,13
338 24400	SA990746B	Atropine standard (see certificate for actual values)	0,00	168,53
338 25100	SA990750	Sulfanilamide standard (see certificate for actual values)	0,00	36,21
338 25100	SA990750B	Sulfanilamide standard (see certificate for actual values)	0,00	70,68
338 25100	SA990750C	Sulfanilamide standard (see certificate for actual values)	0,03	327,42
338 35200	SA02401338	S-Benzylthiuronium chloride standard (see certificate for actual values)	0,00	44,30
338 35210	SA990752	BBOT standard (see certificate for actual values)	0,00	52,58

Thermo Part. No.	Sântis Part. No.	Description	Validité : 12/2023	
			pcs / kg	Tarif € HT
338 35210	SA990752B	BBOT standard (see certificate for actual values)	0,00	103,23
338 35210	SA990752C	BBOT standard (see certificate for actual values)	0,03	375,57
338 35220	SA990751C	DL-methionine standard (see certificate for actual values)	0,00	11,94
338 35220	SA990751	DL-methionine standard (see certificate for actual values)	0,01	81,47
338 35220	SA990751B	DL-methionine standard (see certificate for actual values)	0,03	162,94
338 35240	SA999954B	Lubricant standard (see certificate for actual values)	0,01	157,93
338 35240	SA999954	Lubricant standard (see certificate for actual values)	0,00	41,79
338 35430	SA33835430	Imidazole standard (see certificate for actual values)	0,00	45,26
338 36700	SA990744	Acetanilide standard (see certificate for actual values)	0,00	41,79
338 36700	SA990744B	Acetanilide standard (see certificate for actual values)	0,00	81,47
338 36700	SA990744C	Acetanilide standard (see certificate for actual values)	0,01	88,60
338 37520	SA990812	Phenanthrene (see certificate for actual values)	0,00	76,08
338 40001	SA33840001	Urea standard (approx. 20.00% C, 6.71% H, 46.64% N, 26.64% O)	0,00	36,21
338 40002	SA33840002	Urea standard (approx. 20.00% C, 6.71% H, 46.64% N, 26.64% O)	0,01	166,60
338 40018	SA33840018	L-Cystine (approx. 29.99% C, 5.03% H, 11.66% N, 26.63% O, 26.69 % S)	0,00	47,19
338 40018	SA33840018B	L-Cystine (approx. 29.99% C, 5.03% H, 11.66% N, 26.63% O, 26.69 % S)	0,00	90,52
338 40019	SA33840019	Nicotinamide (approx. 59.00% C, 4.95% H, 22.94% N, 13.10% O)	0,00	45,26
338 40022	SA33840022	Aspartic acid (approx. 36.09% C, 5.30% H, 10.52% N, 48.08% O)	0,00	18,10
338 40023	SA33840023	Aspartic acid (approx. 36.09% C, 5.30% H, 10.52% N, 48.08% O)	0,01	79,74
338 40024	SA33840024	Pasta reference material	0,01	101,50
338 40027	SA33840027	Pasta reference material, for sulphur determination	0,00	23,69
338 40028	SA33840028	Pasta reference material, for sulphur determination	0,10	5,0
	SA33824450	Thiocarbamide (approx. 15.78% C, 5.29% H, 36.81% N, 42.12% S)	0,00	36,59
	SAPANAL0227	Ultra low sulfur standard kit 2 set	1	674,10
	SA990755	2-Iodobenzoic acid (approx. 33.9% C, 2.03% H, 15.92% H, 51.17% I)	0,00	56,24
	SAIVA3387341	Alkane-mix in Isooktan, 15 ng/ul, C14-C16, ampulle à 1 ml	0,00	92,45
	SA990775	Ammonium sulphate standard , (approx.6.10% H, 21.20% N, 48.43% O, 24.27% S)	0,01	55,47
	SA990775A	Ammonium sulphate standard , (approx.6.10% H, 21.20% N, 48.43% O, 24.27% S)	0,01	99,96
	SA990754	4-Bromobenzoic acid, (approx. 41.82%, 2.51% H, 15.92% O, 39.75% Br)	0,00	57,97
	SA990756	Sulfanilic acid , (approx. 41.61% C, 4.07% H, 8.09% N, 27.72% O, 18.50% S)	0,00	57,97
	SA990858	Phenacetin Standard, (approx. 67.01% C, 7.31% H, 7.81% N, 17.85% O)	0,00	38,52
	SAB2159	Sorghum flour standard , OAS / Isotope	0,01	150,23
Soil Standard				
338 02150	SA33802150	Medium Organic Soil Standard, see certificate for actual values	0,03	114,60
338 02151	SA33802151	High Organic Sediment Standard, see certificate for actual values	0,01	229,19
338 02152	SA33802152	Low Organic Soil Standard, see certificate for actual values	0,03	105,93
338 02153	SA33802153	Low Organic Soil IRMS Standard, see certificate for actual values	0,01	229,19
338 40025	SA33840025	Soil reference material CN, see certificate for actual values	0,01	105,93
338 40026	SA33840026	Soil reference material CNS, see certificate for actual values	0,01	105,93
338 40026	SA33840026B	Soil reference material CNS, see certificate for actual values	0,00	42,37
Traps: Scrubbing Tubes and Parts				
	SA28113104B	Fittings for Small water adsorption filter	1	28,89
231 01008 / 231 03008	SA990740C	Small trap tube for H2O, 110/12mm, GL14 thread	1	36,59
281 13060	SA28113060	Adsorption trap CO2 without metal caps, 230/32 mm	1	96,30
281 13060	SA28113060B	Metal caps for adsorption trap CO2	1	154,08
281 13064	SA28113064	Large adsorption trap CO2 with metal caps, 230/32 mm	1	346,68
281 13090	SA990741C	Great trap tube for CO2, 250/20mm, GL14 thread, without plug and septa	1	92,45
281 13090 / 290 13603	SA990741	Great trap tube for CO2, 250/20mm, GL14 thread, with plug and septa	1	105,16
281 13102 / 281 13100	SA990740D	Assembly kit, Adsorption trap small	1	337,05
281 13102 / 281 13100	SA990740	Small trap tube for H2O , 110/12mm, GL14 thread, with red cap and teflon's septa	1	75,11
281 13104	SA28113104	Small water adsorption filter assembly, 110 mm, with GL14 caps, o rings and SS fitting	1	154,08
28113102	SA28113102	Adsorption Filter for IRMS/HT Version (small size) complete, with 2 caps	1	260,01
290 13603	SA990740B	Red cap and teflon's septa, for GL14 thread	2	19,26
290 13603	SA990740A	Red cap, for GL14 thread	1	9,44
Spare Parts				
	SA4100161	Main Lid O-Ring for Zero Blank Autosampler	1	46,22
672460	SA0672460	Filament for MS MAT252, MAT253,253 Plus	1	905,22
1027920	SA1027920	Filament assy MS Delta, +/XL/XP/V u. Advantage	1	768,47
1085040	SA1085040	Halogen lamp, 10 W 12V, G4	1	S.D
1121040	SA0703043	Ventilator for TC/EA, flash HT, 12 V, DC-fan (for top)	1	S.D
1121200	SA1121200	Furnace for TC/EA new	1	7607,70
1121470	SA1121470	Ceramic tube with thermo element , for TC/EA	1	587,43
1197040	SA1197040	Bottom Feed Connector for Flash HT , suitable for 7 mm ID glassy carbon tube	1	760,77
1225470	SA1225470	Sample open split (conflow)	1	S.D
190 04135	SA19004138	Liquid injector kit for TC/EA Flash HT	1	S.D
190 04157	SA19004157	Cone assembly kit for AS128	1	706,07
190 04251	SA19004251	Transformation furnace kit, from 25 to 18 mm bottom connection 2x1mm	1	S.D
190 04252	SA19004252	Transformation furnace kit, from 25 to 18 mm bottom connection 4x2mm	1	S.D
190 04257	SA19004257	Knurled Screws Kit	3	S.D
190 04272	SA19004272	Transformation furnace Kit, from 18 to 25 mm bottom connection 4x2mm	1	S.D
205 00310	SA999960B	Tweezer pencil, Sealing for solid samples	1	271,57
205 00310 / 205 00300	SA20500310	Sealing device for solid samples, tweezer pencil / plate with 4 holes	1	394,83
205 00310 / 240 10024	SA999960	Plate with 4 holes, Sealing for solid samples	1	99,57
205 03002	SA20503002	Sealing device for liquid samples, small capsules	1	887,12
240 10135	SA24010135	MAS200R sample drum #1, 1-32 position	1	S.D
240 10137	SA24010137	MAS200R sample drum #3, 64-94 position	1	S.D
240 10137	SA24010137U	MAS200R sample drum #3, 64-94 position - USED	1	S.D
240 10138	SA24010138	MAS200R sample drum #4, 95-125 position	1	S.D
241 05535	SA24105535	MAS200R , Plastic front cover	1	121,34
248 06400	SA24806400	Thermal paper , for printer	10	226,31
251 06100	SA25106100	MAS Plus, Autosampler	1	S.D
251 17400	SA25117400	MAS200R , Autosampler	1	S.D
251 17400	SA25117400U	MAS200R , Autosampler - USED	1	S.D
251 17572	SA25117572	Autosampler, AS 1310 for liquids	1	S.D
267 02721	SA26702721	Adapter 25mm for HPAR tube, for Flash EA1112 furnace incl. isolation	1	96,30
267 02722	SA26702722	Adapter 18mm for HPAR tube, for Flash EA1112 furnace incl. isolation & screws	1	96,30
267 02722	SA26702722B	Isolation for 18mm-adapter, for Flash2000 furnace	1	9,63
301 08020	SA30108020	MAS200R , Window	1	63,56
313 02100	SA31302100	Membrane , for bi-pneumatique valve	10	159,47
318 07628	SA31807628	Geared motor, for MAS 200R	1	452,61
343 01512	SA34301512	Complete Shaft (piston), for autosampler MAS200R	1	635,58
347 09135	SA34709135MOD	Water trap modified	1	182,97
347 39133	SA34739133	Tubing coupling 2mm, Stainless Steel	1	92,45
350 08426	SA35008426	Bottom connection, 25mm w/6mm adapter	1	597,06
350 10100	SA35010100BFA	Bottom feed adapter, for TC/EA	1	S.D
350 10100	SA35010100DFA	Reverse-flow adapter, TC/EA	1	S.D

Thermo Part. No.	Sântis Part. No.	Description	Validité : 12/2023	
			pcs / kg	Tarif € HT
350 10107	SA35010107BFA	Bottom feed adapter, for TC/EA, for 7 mm ID	1	S.D
350 10107	SA35010107BFAFLASH	Bottom feed adapter, for Flash HT	1	S.D
354 21510	SA35421510	Heater for Oven EA Flash1112	1	414,09
354 50010 / 354 29300	SA35450010	Replacement TC/EA furnace element, (silicon carbide)	1	S.D
354 60021 / 354 60018	SA35460021	Furnace complete for Flash, with 18mm and 25mm adapter	1	4564,62
358 00626	SA35800626	Gear Plate, for MAS 200R		S.D
370 01101	SA37001101B	Slider for AS 200 LS auto sampler, "Valflon"	1	250,38
370 01101	SA37001101	Slider for AS 200 LS auto sampler, "Teflon"	1	231,12
403 20000	SA40320000	Thermocouple	1	1357,83
403 20005	SA40320005	Thermocouple Pt/Pt-Rh	1	1430,25
403 20006 / 40320006	SA40320006	Thermocouple , for Flash HT	1	1538,87
405 10100	SA40510100	Micro valve , 4way	1	S.D
406 00300	SA40600300	Cooling fan, for NA1500	1	265,79
419 07510	SA41907510	TCD Detector	1	S.D
425 09097	SA42509097	Thermo pressure controller	1	S.D
425 09150	SA42509150	EFC-T flow control, for Flash EA1112	1	S.D
425 09195	SA42509095	EFC module (complete) for Flash EA1112, model with serial number S/N up to 20034906	1	S.D
432 10150	SA43210150	MAS driver complete , for TC/EA	1	S.D
432 10230	SA43210230	No blank sampler option, for Flash EA or TC/EA	1	S.D
432 33137	SA43233137	Eager xperience	1	S.D
	SA4100003	Zero Blank Autosampler for ECS	1	13144,95
	SA4100100	Control Module for Zero Blank Autosampler, 120/240V	1	3370,50
	SA4100200	Carousel for Zero Blank Autosampler, 50 pos.	1	1203,75
	SA4100400	Carousel for Zero Blank Autosampler, 100 pos.	1	1203,75
	SA4100300	Carousel for Zero Blank Autosampler, 32 pos.	1	1203,75
	SA4100004	Zero Blank Autosampler for ECS, with Isolation Valve & Shut Off Valve	1	13530,15
	SA4100001	Zero Blank Autosampler, with Control Module, 120v/240v	1	14252,40
	SA4100002	Zero Blank Autosampler, with Control Box, Isolation Valve & Shut Off Valve	1	14705,01
	SA671182	Capillary tube heatable, stainless steel, for dual inlet	1	S.D
	SA590200	Cutter , for SST tube	1	63,37
	SA999969	Joint coupling for 1108, with PTFE connection tube	1	529,65
	VM7000	Sample tray 96, 82 x 127mm	1	2,89
	VM7001	Sample tray 96, cover, 82 x 127mm	1	1,93
O-rings and Seals				
	SA4100170	O-ring set for Zero Blank Autosampler, with Isolation Valve	1	96,30
1121120	SA1121120	O-Ring, for TC/EA	1	4,82
190 04161	SA19004161	O-Ring, Kit for AS128	1	152,15
290 00017	SA29000017	Inner O-Ring, MAS 200R, 2068 Nitrile rubber	1	8,67
290 00063	SA29000063B	O-Ring, for bottom feed adapter (7,0 mm)	1	43,34
290 00063	SA29000063	O-Ring, for bottom feed adapter (8,6 mm)	2	86,67
290 02195	SA34301512R	O-Ring, green for shaft, for autosampler MAS200R	3	105,93
290 02195	SA29002195	O-Ring, green, for shaft	1	36,59
290 02910	SA29002910	O-Ring, Top	1	4,24
290 03635	SA29003635	O-Ring, sealing, for Pyrex type Large Adsorption Filter	2	14,45
290 10082	SA29010082	O-Ring, Viton Rubber	2	17,33
290 10386	SA29010386	O-Ring, Viton, for upper and button connection	5	27,16
290 10684	SA29010684	O-Ring, Silicon, for HPAR 4000 crucible	5	18,10
290 10694	SA29010694	O-Ring, Bottom and Top SI 80, 48 mm OD	5	28,89
290 13603	SA990742	Teflon's septa for trap, 12 x 6 mm, PTFE	2	14,45
290 20640	SA29020640	O-Ring, Bottom	5	17,14
290 20649	SA29020649	O-Ring, Bottom, HPAR reactor	5	13,29
290 20682	SA29020682	O-Ring, Top, HPAR reactor	5	13,29
290 22910	SA29022910	O-Ring, Top	5	21,19
290 30014	SA29030014	O-Ring , for transparent vetrino	1	4,04
290 30017	SA29030017	MAS200 inner O-Ring	10	75,11
290 30042	SA29030042	O-Ring, viton, 18 mm	5	127,12
290 30304	SA29030304	O-Ring, viton, 3.18 mm	10	36,21
290 30331	SA990727	O-Ring, Top	5	36,21
290 30567	SA990728	O-Ring Bottom, for 6mm tube end	10	27,16
290 32910	SA990732	O-Ring, viton	10	39,87
290 32940	SA29032940	O-Ring for Cone AS128	1	19,26
29030343	SA29030343	Green O-ring for Mas Plus shaft, Pack of 3	1	77,04
	SA4100171	O-ring set for isolation valve for Zero Blank Autosampler	1	38,52
	SA4100160	O-ring set for Zero Blank Autosampler	1	61,63
Tubing, Tube Fittings, Nuts, Connectors				
566390	SA0566390	Reducing ferrule with bore ID 0.5mm	10	S.D
1004850	SA072659	15% Graphite/85% Vespel Ferrule with 0.3, mm Home	10	202,23
1121330	SA1121330	Bottom reactor connection screw for TC/EA, nut, washer, o-ring	1	1357,83
1226740	SA1226740	Sulfinert tubing , 5m	1	S.D
1241460	SA073300	Siltie Metall Ferrules, 0.25 capillary	1	S.D
190 50208	SA19050208	Fast connector male & female coupling , without 2mm tube port (6MB) adaptor	1	269,64
190 50209	SA19050209	Fast connector male & female coupling , with 2mm tube port (6MB) adaptor	1	317,79
20501602	SA20501602	Fixed Wrench 8-10 mm	1	48,15
290 04045	SA29004045	Tubing olive, 2mm, stainless steel	1	11,56
290 13486	SA29013486	Ferrule graphite, 0.8 mm for 0.53 mm capillary	2	57,97
290 13487	SA29013487	Ferrule graphite, 0.45 mm for 0.32 mm capillary	2	57,97
290 13488	SA29013488	Ferrule graphite, i.d. 0.35	2	57,97
290 34044 / 1121130	SA29034044	Tubing olive , 1,6mm, aluminium	10	30,82
290 34045	SA29034045	Tubing olive , 2mm, aluminium	10	27,16
290 34051	SA29034051	Ferrule for 4 mm Tubing, Aluminium	10	105,93
290 34151	SA29034151	Tubing olive , 4 mm, aluminium	10	67,41
290 34244	SA29034244	Tubing olive , 1,6mm, stainless steel	10	182,97
290 34245	SA29034245	Tubing olive , 2mm, stainless steel	10	115,56
290 34251	SA29034251	Ferrule SS for 4mm tubing	10	375,57
290 34545	SA29034545	Tubing olive , 2mm, PTFE	10	71,26
290 54045	SA29054045	Tubing olive , 2mm, aluminium	1	2,89
347 14100	SA34714100	Connector union , 2mm	1	34,67
347 15401	SA34715401	Column fitting, 6mm to 2mm	1	105,93
347 18103	SA34718103	T-Stück complete, (mit Oliven und Schrauben)	1	150,23
347 34100	SA34734100	Connector union , 6MB-6MB	5	190,67
347 36100	SA34736100	Tubing connector block, 4 way, brass, 2mm	5	130,39
347 38103	SA34738103	T-Connection brass , 3x6MB	5	105,16
347 40061	SA34740061	Reducing union 1/4" to 1/16", stainless steel	1	69,34
34709507	SA34709507	1" Manifold Tube for Autosampler AS200	1	587,43
350 004 14	SA35000414	Nut for 6mm tubing	1	28,89
350 00413	SA35000413	Hexagonal Nut, 4x2mm	1	129,04
350 02124	SA35002124	Knurled nut for PE-Tube 5 x 3 mm	1	15,22

Thermo Part. No.	Sântis Part. No.	Description	Validité : 12/2023	
			pcs / kg	Tarif € HT
350 08418	SA35008418	Fitting for Flash Oxidation Tube, 25 mm	1	246,53
350 08427T	SA35008427	Bottom connection (Sântis Version), Flash EA IRMS and HT	1	S.D
350 08427T	SA35008427T	Bottom connection (original Thermo), Flash EA IRMS and HT	1	S.D
350 10100	SA35010100	Column fitting, 18 - mm, SS	1	244,41
350 114 10	SA35011410	Nut for bottom connection, Flash EA IRMS and HT	1	S.D
350 34108	SA35034108	Rubber holder , SST 6MB	1	67,41
350 40403 / 1121370	SA35040403	Tubing Nut, 2mm, Stainless Steel, 6MB	10	78,97
350 40403 / 1121370	SA35000403	Stainless steel nut, 6MB	1	9,63
350 40413	SA35040413	Locking Nut SS 304 , 10 x1 mm / OD 4 mm	1	452,61
350 44137	SA35044137	Male hose adapter for PE-Tube 5x3mm	10	471,87
350 45100	SA35045100	Blanking nut 6MB, Brass	10	73,19
350 45400	SA35045100SS	Blanking nut MB6, Stainless steel	1	S.D
356 032 10	SA35603210	Metal Ring for bottom connection, Flash EA IRMS and HT	1	S.D
391 02500	SA39102500	Stainless steel tube , 2x1mm, 5 meters	1	153,89
420 01500	SA42001500	PTFE tube , 2x1mm, 1 mt.	1	9,82
420 01501	SA42001501	PTFE tube , 2x1mm, 5 mt.	1	45,26
420 01600	SA42001600	PTFE tubing , 4x2mm, 1m	1	10,02
420 01601	SA42001601	PTFE tubing , 4x2mm, 5m	1	48,15
420 01700	SA42001700	PTFE Tubing , 6x4mm, 1m	1	8,67
420 01701	SA42001701	PTFE tubing , 6x4mm, 5m	1	42,37
420 10000	SA42010000	Tube PE, 5x3mm, 5 mt	1	19,26
605470	SA605470	Capillary SS 1/16 x 0.8 mm, 0.05 m		19,26
	SA999922	Reduction ferrules 1/4" to 1/16", graphite	10	S.D
	SA072601	Ferrules, 100% Graphite , for 1/4" Tube OD	10	S.D

Forceps, Micro-spatulas, Micro-pipettes & Tools

205 00500	SA20500500	Forceps , 115 mm "bent"	1	36,21
205 00501	SA20500501	Forceps , 110 mm "bent"	1	S.D
205 00600	SA20500600L	Spatula for container filling, (liquids and solids) "left hand"	1	57,97
205 00600	SA20500600	Spatula for container filling, (liquids and solids)	1	69,34
205 00620 / 205 00521	SA20500620	Spatula , for macro samples	1	28,50
205 00625	SA20500625	Cleaning device for HPAR reactor	1	S.D
205 00626	SA20500626	HPAR Reactor Extractor	1	S.D
205 00627	SA20500627	Crucible Extractor	1	32,74
343 01512 / 205 026 13	SA34301512WZ	Tool to replace MAS200R O-Rings, Incl. 3 O-Rings (SA34301512R)	1	375,57

Accessoires

542910	SA0542910	Fused silica capillary, 0,18/0,27mm, 1m	1	204,16
1048990	SA1048990	Fused silica capillary, 0,1mm ID, 1m	1	202,23
1068240	SA1068240	Gas-Container Precon, 100ml	0,10	1097,82

Consumable Kits

1141050	SA1141050	Reactor Kit for solids	1	2411,35
1157110	SA1157110	Sulfur Conversion Kit for Flash 2000 , IRMS / HT	1	1155,60
190 02410	SA19002410	Kit for 1000 analysis for Flash 2000, CHN determination	1	1067,00
190 02411	SA19002411	Kit for 1000 analyses for Flash 2000, CHNS / NCS / S determination	1	1007,30
190 02412	SA19002412	Kit for 1000 analysis for Flash 2000, CHNS / NCS / S determination with prepacked quartz reactor	1	2170,60
190 02413	SA19002413	Kit for 1000 analysis for Flash 2000, N organic determination	1	2033,86
190 02413	SA19002430	Kit for 1000 analysis for Flash 2000, N Lubricant determination	1	2156,93
190 02414	SA19002414	Kit for 1000 analysis for Flash 2000, NC determination	1	1596,65
190 02415	SA19002415	Kit for 1000 analysis for Flash 2000, NC-soils, NC-sediments, NC-Filters determination	1	1561,99
190 02416	SA19002416	Kit for 1000 analysis for Flash 2000, Oxygen determination	1	2037,71
190 02416	SA19002416B	Kit for 1000 analysis for Flash 2000, Oxygen determination with prepacked reactor	1	2037,71
190 02418	SA19002418	Kit for 1000 analysis for Flash 2000, NC determination FLASH IRMS	1	2072,38
190 02418	SA19002418B	Kit for 5000 analyses for Flash2000, NC determination	1	S.D
190 02440	SA19002440	Kit for 1000 analysis for Flash 4000, Kit for 1000 analyses	1	2135,93
190 02440	SA19002440B	Kit for 1000 analysis for Flash 4000, Kit for 1000 analyses	1	2132,08
190 02450	SA19002450	Kit for 5000 analysis for Flash 4000, Kit for 5000 analyses	1	9477,85
190 03770	SA19003770	Kit for 1000 analysis for FLASH 2000, NC determination FLASH IRMS	1	918,70
190 04220	SA19004220	Kit for 1000 Analysis for FLASH 2000, Package A of consumables for solid samples	1	2285,78
190 04220	SA19004225	Kit for 1000 analysis for FLASH 2000, Package B of consumables for solid nsamples	1	9504,42

Diverses

1141370	SA1141370C	16.5mm Screw cup white, with pierceable rubber septum	1000	500,76
1141370	SA1141370B	16.5mm Screw cup blue , with pierceable rubber septum	1000	S.D
1141370	SA1141370	16.5mm Screw cup red, with pierceable rubber septum	1000	568,17
41.00.140	SA4100140	Shutoff Valve for Purge Line, for Zero Blank AS	1	

Syringes, Needles

1137030	SA1137030	Acid needle for Gasbench	1	S.D
---------	-----------	--------------------------	---	-----

Pour un visuel des articles chercher la référence ici :

<https://www.saentis-analytical.com/products.php?r= CHNOSTOC>

Si le produit dont vous avez besoin n'est pas répertorié ici, contactez-nous !

L'utilisation des numéros de pièce Thermo (TM) est uniquement destinée à des fins de commodité et n'implique pas que les produits sont d'origine Thermo (TM).

Tous les produits Sântis Analytical sont garantis de haute qualité et adaptés à une utilisation dans l'instrument indiqué.

Condition de livraison en France métropolitaine :

Franco de port pour toutes livraisons > 1000 € HT

35 € de frais de port et d'emballage pour toutes livraisons comprises entre 500 et 1000 € HT

50 € de frais de port et d'emballage pour toutes livraisons < 500 € HT



14, Rue des Mouettes
F 76130 MONT SAINT AIGNAN
Tel : +33 2 35 07 6000
sales@onlinecas.com